

Adhesive IPS Weldon Selection Guide



ABS	Acrylic Cell Cast	Acrylic Cross-Linked	Acrylic Extruded	Butyrate	Concrete	Fiberglass	Metal	PETG	Polycarbonate	Polyester	Polyurethane	PVC (Rigid)	PVC (Flexible)	PVC (Foamed)	Styrene	Wood	
2354 1707/4707 55/58	16 1802 40/42	10 40/42	16 1802 40/42	16 55/58 40/42	10 45	10 45	45 10	16 55/58 40/42	16 55/58 40/42	40/42 10	66 4784 55/58	10 16/4052 45	45	16 40/42 45	16 1802	45	ABS
16 1802 40/42	40/42 3/4 16	10 40/42	40/42 3/4 16	16 40/42 45	10 45	10 45	10 45	10 40/42 16	16 40/42 45	40/42 10	66 4784	40/42 16 4052	45	16 40/42 45	16 4052 10	45	Acrylic Cell Cast
10 40/42	10 40/42	10 40/42	10 40/42	40/42 10 45	10 45	10 45	10 45	10 40/42 45	10 40/42 45	40/42 10	40/42 10	10 40/42 45	45	40/42 45	10 40/42	10 45	Acrylic Cross-Linked
16 1802 40/42	40/42 3/4 16	10 40/42	40/42 3/4 16	16 40/42 45	10 45	10 45	10 45	10 40/42 16	10 40/42 45	40/42 10	66 4784	40/42 16 4052	45	16 40/42 45	16 4052 10	45	Acrylic Extruded
16 55/58 45/40/42	16 40/42 45	40/42 10 45	16 40/42 45	3/2007 16 55/58	10 45	10 45	45 10	16 55/58 40/42	16 55/58 40/42	40/42 10 45	66 4784 55/58	16 55/58 40/42	66 4784 45	66 40/42 45	1802 16 45	45 10	Butyrate
10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	45	10 45	10 45	10 45	Concrete
10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10 45	10	10 45	45	10 45	10 45	10 45	Fiberglass
45 10	10 45	10 45	10 45	45 10	10 45	10 45	10 45	10 45	10 45	10 45	10	10 45	45	45 10	10 45	10 45	Metal
16 55/58 40/42	10 40/42 16	10 40/42 45	10 40/42 16	16 55/58 40/42	10 45	10 45	10 45	55/58 3/4 40/42	55/58 3/4 40/42	40/42 45	10	10 40/42 16	45	16 40/42 45	16 10	45	PETG
16 55/58 40/42	16 40/42 45	10 40/42 45	10 40/42 45	16 55/58 40/42	10 45	10 45	10 45	55/58 40/42 45	55/58 3/4 16	40/42 10 45	10	40/42 10 16	45	16 40/42 45	10 16 1802	45	Polycarbonate
40/42 10	40/42 10	40/42 10	40/42 10	40/42 10 45	10 45	10 45	10 45	40/42 45	40/42 10 45	40/42 10 45	10 1829	40/42 10	45	10 40/42 45	40/42 10	10 1829	Polyester
66 4784 55/58	66 4784	40/42 10	66 4784	66 4784 55/58	10	10	10	10	10	10 1829	66 4784 55/58	66 4784	66 4784 45	66 4784	10 45	45	Polyurethane
10 16/4052 45	40/42 16 4052	10 40/42 45	40/42 16 4052	16 55/58 40/42	10 45	10 45	10 45	10 40/42 16	40/42 10 16	40/42 10	66 4784	2007 10/40/42 1007/4007	2007 45	16 2007 40/42/45	10 16 1802	45	PVC (Rigid)
45	45	45	45	66 4784 45	45	45	45	45	45	45	66 4784 45	2007 45	2007 66/4784 45	2007 45	2007 45	45	PVC (Flexible)
16 40/42 45	16 40/42 45	40/42 45	16 40/42 45	16 40/42 45	10 45	10 45	45 10	16 40/42 45	16 40/42 45	10 40/42 45	66 4784	16 2007 40/42/45	2007 45	2007 16 40/42/45	1802 16 45	45 10	PVC (Foamed)
16 1802	16 4052 10	10 40/42	16 4052 10	1802 16 45	10 45	10 45	10 45	16 10	10 16 1802	40/42 10	10 45	10 16 1802	2007 45	1802 16 45	4807 16 1802	45	Styrene
45	45	10 45	45	45 10	10 45	10 45	10 45	45	45	10 1829	45	45	45	45 10	45	45	Wood